

理学療法士への のダイレクト アクセスと患者/ 者/クライアント トのセルフリ ブ フアーナル (自己照会)

ポリシーステートメント

© World Physiotherapy 2019
www.world.physio

理学療法士へのダイレクトアクセスと患者/クライアントのセルフリファerral（自己照会）

WCPT（世界理学療法連盟）は、理学療法の直接診療（ダイレクトアクセス）と患者/クライアントのセルフリファerral(自己照会)を可能することによって、サービス利用者が理学療法を通じた目標を達成することができると思う。理学療法のエントリーレベル専門教育を通して、理学療法士は、独立したファーストコンタクトプラクティショナーに成長し、診察、評価、診断、介入/治療、結果の見定め、退院などの判断を下す能力が備わる。他の医療従事者（医師など）又は第三者（注1）による紹介は必要ない。さらに、WCPTは、患者/クライアントが自主的に直接理学療法士の診察を受けられるような、アクセスしやすいサービス開発や提供モデルを歓迎する。

「ダイレクトアクセス（直接診療）」や「セルフリファerral（自己照会）」という言葉は、紹介状なし（注2）に患者/クライアントが理学療法の診察を受けられる状況を意味する。世界中の多くの医療サービス提供のシステムにおいて、理学療法サービスへの紹介状は必要ない（注3）。この場合、国、地方、地区、州の法的枠組みや、理学療法士の専門実践基準に、理学療法サービスが支えられている。こういったサービスの臨床性や対費用効果、サービスを利用する人々の受容性を示す研究結果がより増えている。（注4-12）

WCPTは、理学療法サービスを求める人々が自己申告で理学療法士に自由に接することができる権利を支持する。また、この権利によって、理学療法サービスを利用する人々の自主性を促進し、公平に誰でもサービスを利用することが可能になると考えている。

WCPTは、患者/クライアントが理学療法サービスを求める際に医療従事者による紹介状を必要としない社会保障又は健康保険による費用返済モデルを支持する。

WCPTは、加盟組織に以下の行動を推奨する。

- 国/地方/地区/州の保健部門、理学療法の費用を返済する組織、サービス利用者集団を代表するその他の組織と共に直接診療と患者/クライアントによる自己申告を支持する。
- 理学療法士のエントリーレベル専門教育プログラムは、理学療法士を、第三者の存在なしで、患者/クライアントの診療をすることができる自立した、自主性のある専門家に育て上げることを保証する。（注1）
- 直接診療や患者/クライアントのセルフリファerral(自己照会)を許容し、それを行う理学療法士を支えるためにも、資格取得後の継続専門学習機会の提供を保証する。
- 直接診療と患者/クライアントの自己申告を許容するサービスを評価する研究を支援する。
- 会員に、直接診療と患者/クライアントの自己申告を許容するサービスの実施を支える資源について意識させる。
- 会員に、理学療法サービスへ直接診療に伴う道徳的、法的責任を意識させる。

Glossary (<https://world.physio/resources/glossary>)

Access to physical therapy

Direct access

Self referral

Approval, review and related policy information	
Date adopted:	Approved at the 17 th General Meeting of WCPT in June 2011. Revised and re-approved at the 18 th General Meeting of WCPT May 2015. Revised and re-approved at the 19 th General Meeting of WCPT May 2019
Date for review:	2023
Related WCPT policies:	WCPT policy statements: <ul style="list-style-type: none"> • Autonomy • Description of physical therapy • Standards of physical therapist practice WCPT guideline: <ul style="list-style-type: none"> • Guideline for physical therapist professional entry level education

References

1. 1.World Confederation for Physical Therapy. WCPT guideline for physical therapist professional entry level education. London, UK: WCPT; 2011. www.wcpt.org/guidelines/entry-level-education (Access date 30 August 2019)
2. Department of Health. Self-referral pilots to musculoskeletal physiotherapy and the implications for improving access to other AHP services. London, UK: Department of Health; 2008. https://webarchive.nationalarchives.gov.uk/20130124044256/http://www.dh.gov.uk/prod_consum_dh/groups/dh_digitalassets/@dh/@en/documents/digitalasset/dh_116358.pdf (Access date 30 August 2019)
3. Bury TJ, Stokes EK. A global view of direct access and patient self-referral to physical therapy: implications for the profession. *Phys Ther.* 2013;93(4):449-59.
4. Holdsworth LK, Webster VS. Direct access to physiotherapy in primary care: now? -- and into the future? *Physiotherapy.* 2004;90(2):64-72.
5. Holdsworth LK, Webster VS, McFadyen AK. Are patients who refer themselves to physiotherapy different from those referred by GPs? Results of a national trial. *Physiotherapy.* 2006;92(1):26-33.
6. Holdsworth LK, Webster VS, McFadyen AK. Self-referral to physiotherapy: deprivation and geographical setting: is there a relationship? Results of a national trial. *Physiotherapy.* 2006;92(1):16-25.
7. Holdsworth LK, Webster VS, McFadyen AK. What are the costs to NHS Scotland of self-referral to physiotherapy? Results of a national trial. *Physiotherapy.* 2007;93(1):3-11.
8. Leemrijse CJ, Swinkels ICS, Veenhof C. Direct Access to Physical Therapy in the Netherlands: Results From the First Year in Community-Based Physical Therapy. *Physical Therapy.* 2008;88(8):936-46.
9. Webster VS, Holdsworth LK, McFadyen, Little H. Self-referral, access and physiotherapy: patients' knowledge and attitudes. Results of a national trial. *Physiotherapy.* 2008;94(2):141.
10. ten Hove R. Patient self-referral for physiotherapy improves outcomes. *Guidelines in Practice.* 2013;16(10):43-6.
11. S. Swinkels IC, Kooijman MK, Spreeuwenberg PM, Bossen D, Leemrijse CJ, van Dijk CE, et al. An Overview of 5 Years of Patient Self-Referral for Physical Therapy in the Netherlands. *Physical Therapy.* 2014;94(12):1785-95.
12. Mallett R, Bakker E, Burton M. Is Physiotherapy Self-Referral with Telephone Triage Viable, Cost-effective and Beneficial to Musculoskeletal Outpatients in a Primary Care Setting? *Musculoskeletal Care.* 2014;12(4):251-60.